

Non-EVOS Oil Pollution Studies

- Moles, Adam. 1999. Parasitism, feeding rate and hydrocarbon uptake of pink shrimp *Pandalus borealis* fed a crude oil contaminated diet. *Bulletin of Environmental Contamination and Toxicology* 62 (3): 259-265.
- Moles, Adam. 1998. Sensitivity of ten aquatic species to long-term crude oil exposure. *Bulletin of Environmental Contamination and Toxicology* 61: 102-107.
- Moles, Adam and Brenda L. Norcross. 1998. Effects of oil-laden sediments on growth and health of juvenile flatfishes. *Canadian Journal of Fisheries and Aquatic Sciences* 55: 605-610.
- Adam Moles and Brenda Norcross. 1995. Sediment preference in juvenile Pacific flatfishes. *Netherlands Journal of Sea Research* 34:177-182.
- Moles, Adam, Stanley Rice and Brenda Norcross. 1994. Non-avoidance of hydrocarbon laden sediments by juvenile flatfishes. *Netherlands Journal of Sea Research* 32:361-367.
- Moles, Adam, Stanley Rice and Mark Okihiro. 1993. Herring parasite and tissue alterations following the Exxon Valdez oil spill. *Proceedings of the 1993 International Oil Spill Conference*, March 29-April 1, 1993, Tampa, Florida.
- Carls, M.G. and S.D. Rice. 1990. Abnormal development and growth reductions of pollock *Theragra chalcogramma* embryos exposed to water-soluble fractions of oil. *Fishery Bull., U.S.* 88:29-37.
- Rice, S.D., and R.E. Thomas. 1990. Effect of pre-treatments of toluene or naphthalene on the tolerance of pink salmon *Oncorhynchus gorbuscha* and kelp shrimp *Eualus suckleyi*. *Comp. Biochem. Physiol.* 94C(1):289-293.
- Thomas, R.E., S.D. Rice, M.M. Babcock, and A. Moles. 1989. Differences in hydrocarbon uptake and mixed function oxidase activity between juvenile and spawning adult coho salmon *Oncorhynchus kisutch* exposed to Cook Inlet crude oil. *Comp. Biochem. Physiol.* 93C(1):155-159.
- Carls, M.G. and S.D. Rice. 1988. Sensitivity differences between eggs and larvae of walleye pollock *Theragra chalcogramma* to hydrocarbons. *Mar. Environ. Res.* 26:285-297.
- Karinen, J. F. 1988. Sublethal effects of petroleum on biota. pp. 294-328 in: Shaw, D. G. and M. J. Hameedi (eds.) *Environmental Studies in Port Valdez, Alaska: a Basis for Management. Lecture Notes on Coastal and Estuarine Studies* 24. Springer-Verlag. New York.
- Merrell, T. R. 1988. Fisheries Resources. Pp. 203-224 in: Shaw, D. G. and M. J. Hameedi (eds.) *Environmental Studies in Port Valdez, Alaska: a Basis for Management. Lecture Notes*

on Coastal and Estuarine Studies 24. Springer-Verlag. New York.

Carls, M. G. 1987. Effects of dietary and water borne oil exposure on larval Pacific herring (*Clupea harengus pallasii*). Mar. Envir. Res. 22(3): 253-270.

Moles, A., M.M. Babcock, and S.D. Rice. 1987. Effects of oil exposure on pink salmon *Oncorhynchus gorbuscha* alevins in a simulated intertidal environment. Mar. Environ. Res. 21:49-58.

Rice, S.D., M.M. Babcock, C.C. Brodersen, M.G. Carls, J.A. Gharrett, S. Korn, A. Moles, and J. Short. 1987. Lethal and sublethal effects of the water-soluble fraction of Cook Inlet crude oil on Pacific herring *Clupea harengus pallasii* reproduction. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-111, 63 p.

Rice, S.D., M.M. Babcock, C.C. Brodersen, J.A. Gharrett, and S. Korn. 1987. Uptake and depuration of aromatic hydrocarbons by reproductively ripe pacific herring and the subsequent effect of residues on egg hatching and survival. In Pollution and Physiology of Estuarine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 139-154. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia.

Stickle, W.B., M.A. Kapper, T.C. Shirley, M.G. Carls, and S.D. Rice. 1987. Bioenergetics and tolerance of the pink shrimp *Pandalus borealis* during long-term exposure to the water soluble fraction and oil sediment from Cook Inlet crude oil. In Pollution and Physiology of Estuarine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 87-106. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia.

Thomas, R.E., S.D. Rice, and S. Korn. 1987. Reduced swimming performance of juvenile coho salmon *Oncorhynchus kisutch* exposed to the water-soluble fraction of Cook Inlet crude oil. In Pollution and Physiology of Estuarine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 127-137. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina, Columbia.

Thomas, R.E., and S.D. Rice. 1987. Effect of water-soluble fraction of Cook Inlet crude oil on swimming performance and plasma cortisol in juvenile coho salmon *Oncorhynchus kisutch*. Comp. Biochem. Physiol. 87C(1):177-180.

Gharrett, J.A., and S.D. Rice. 1987. Influence of simulated tidal cycles on aromatic hydrocarbon uptake and elimination by the shore crab *Hemigrapsus nudus*. Mar. Biol. 95:365-370.

Gharrett, J. A. 1986. Effects of a hydrocarbon contaminated diet on survival, feeding, growth, and molting of juvenile red king crab, *Paralithodes camtschatica* (Tilesius). M. S. Thesis, University of Alaska, Juneau, Alaska. 178 p.

- Thomas, R.E., and S.D. Rice. 1986. The effects of salinity on uptake and metabolism of toluene and naphthalene by Dolly Varden *Salvelinus malma*. Mar. Environ. Res. 18:203-214.
- Thomas, R.E., and S.D. Rice. 1986. Effect of temperature on uptake and metabolism of toluene and naphthalene by Dolly Varden char *Salvelinus malma*. Comp. Biochem. Physiol. 84C(1):83-86.
- Babcock, M. M. 1985. Morphology of olfactory epithelium of pink salmon, *Oncorhynchus gorbuscha*, and changes following exposure to benzene: a scanning electron microscope study. Pp. 259-267 In: Gray, J. S. and M. E. Christiansen (eds.), Marine Biology of Polar Regions and Effects of Stress on Marine Organisms. Proceedings of the 18th European Biology Symposium, University of Oslo, Norway, 14-20 August, 1983. John Wiley and Sons, Chichester, England.
- Carls, M. G. and S. Korn. 1985. Sensitivity of arctic marine amphipods and fish to petroleum hydrocarbons. Can. Tech. Rept. Fish. Aquat. Sci. 1368:11-26.
- Gharrett, J.A., and S.D. Rice. 1985. Influence of an oil- contaminated diet on feeding rates, growth, and molting success of juvenile red king crabs, *Paralithodes camtschatica*. In Proceedings of the International King Crab Symp., pp. 371-375. Anchorage, AK.
- Karinen, J. F. 1985. Occurrence of juvenile king crabs *Paralithodes camtschatica* (Tilesius) in Auke Bay, Alaska on sediments with relatively high concentrations of aromatic hydrocarbons. Pp. 377-387 In: Proceedings of International King Crab Symposium, Jan, 1985, Anchorage, Alaska. Alaska Sea Grant Report No. 85-12.
- Korn, S., S.D. Rice, D.L. Cheatham, and D.W. Brown. 1985. Contribution of phenol and *p*-cresol to the toxicity of crude oil to pink salmon *Oncorhynchus gorbuscha* fry and kelp shrimp *Eualus suckleyi*. In Pollution and Physiology of Marine Organisms (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 447-458. Belle W. Baruch Libr. Mar. Sci. 17, University of South Carolina Press, Columbia. 545 pp.
- Lauren, D.J., and S.D. Rice. 1985. Significance of active and passive depuration in the clearance of naphthalene from the tissues of *Hemigrapsus nudus* (Crustacea: Decapoda). Mar. Biol. 88:135-142.
- Moles, A., S.D. Rice, and S. Andrews. 1985. Continuous-flow devices for exposing marine organisms to the water-soluble fraction of crude oil and its components. Can. Tech. Rep. Fish. Aquat. Sci. 1368:53-61.
- O'Clair, C.E., and S.D. Rice. 1985. Depression of feeding and growth rates of the seastar *Evasterias troschelii* during long-term exposure to the water-soluble fraction of crude oil. Mar. Biol. 84(3):331-340.
- Rice, S.D. 1985. Fisheries and oil; Facts and figures. Alaska Fish and Game, Nov-Dec, p.

34-37.

- Rice, S.D. 1985. Effect of oil on fish. *In* Petroleum Effects in the Arctic Environment (Edited by F.R. Engelhardt), pp. 157-182. Applied Science Publishers Ltd., London. 281 pp.
- Rice, S. D. 1985. Alaska's habitats. Fisheries and oil: facts and figures. *Alaska Fish and Game* 18(6): 34-37.
- Schwartz, J.P. 1985. Effect of oil-contaminated prey on the feeding and growth rate of pink salmon fry (*Oncorhynchus gorbuscha*). Pp. 459-476 *In*: Vernberg, J. F., F. P. Thurberg, A. Calabrese, and W. B. Vernberg (eds.). *Marine Pollution and Physiology: Recent Advances*. Belle W. Baruch Libr. Mar. Sci. 13, University of South Carolina Press, Columbia, S.C.
- Stickle, W.B., Jr., S.D. Rice, C. Villars, and W. Metcalf. 1985. Bioenergetics and survival of the marine mussel *Mytilus edulis* L., during long-term exposure to the water-soluble fraction of Cook Inlet crude oil. *In* *Pollution and Physiology of Marine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 427-446. Belle W. Baruch Libr. Mar. Sci. 16, University of South Carolina Press, Columbia. 545 pp.
- Thomas, R.E., and S.D. Rice. 1985. Effect of pretreatment exposure to toluene and naphthalene on the subsequent metabolism of dietary toluene and naphthalene by Dolly Varden *Salvelinus malma*. *In* *Pollution and Physiology of Marine Organisms* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.G. Vernberg), pp. 505-529. Belle W. Baruch Libr. Mar. Sci. 16, University of South Carolina Press, Columbia. 545 pp.
- Carls, M.G., and S.D. Rice. 1984. Toxic contribution of specific drilling mud components to larval shrimp and crabs. *Mar. Env. Res.* 12(1):45-62.
- Collodi, P., M.S. Stekoll, and S.D. Rice. 1984. Hepatic aryl hydrocarbon hydroxylase activities in coho salmon *Oncorhynchus kisutch*. *Comp. Biochem. Physiol.* 79C:337-341.
- Rice, S.D., D.A. Moles, J.F. Karinen, S. Korn, M.G. Carls, C.C. Brodersen, J.A. Gharrett, and M.M. Babcock. 1984. Effects of petroleum hydrocarbons on Alaskan aquatic organisms: A comprehensive review of all oil-effects research on Alaskan fish and invertebrates conducted by the Auke Bay Laboratory, 1970-81. U.S. Dept. Commerce, NOAA Technical Memorandum NMFS F/NWC-67. 128 p.
- Schwartz, J. P. 1984. The effects of oil-contaminated prey on the feeding, growth, and related energetics of pink salmon *Oncorhynchus gorbuscha* Walbaum fry. Ph. D. Thesis, University of Alaska Fairbanks, Fairbanks, Alaska. 99 p.
- Stickle, W.B., Jr., S.D. Rice, and A. Moles. 1984. Bioenergetics and survival of the marine snail *Thais lima* during long-term oil exposure. *Mar. Biol.* 80(3):281-289.

- Collodi, P. 1983. Effect of petroleum hydrocarbons on hepatic aryl hydrocarbon hydroxylase activity in coho salmon (*Oncorhynchus kisutch*). M. S. Thesis, University of Alaska, Juneau, Alaska 120 p.
- Moles, A., and S.D. Rice 1983. Effects of crude oil and naphthalene on growth, caloric content and fat content of pink salmon juveniles in seawater. *Trans. Am. Fish. Soc.* 112(2A):205-211.
- Stickle, W.B., T.D. Sabourin, and S.D. Rice. 1982. Sensitivity and osmoregulation of coho salmon *Oncorhynchus kisutch* exposed to toluene and naphthalene at different salinities. *In* *Physiological Mechanisms of Marine Pollutant Toxicity* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 331-348. Academic Press, Inc., New York. 564 p.
- Thomas, R.E., and S.D. Rice. 1982. Metabolism and clearance of phenolic and mono-, di-, and polynuclear aromatic hydrocarbons by Dolly Varden char. *In* *Physiological Mechanisms of Marine Pollutant Toxicity* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 161-176. Academic Press, Inc., New York. 564 p.
- Korn, S., and S.D. Rice. 1981. Sensitivity to, and accumulation and depuration of aromatic petroleum components by early life stages of coho salmon *Oncorhynchus kisutch*. *Rapp. P.-v. Reun. Cons. Int. Explor. Mer.* 178:87-92.
- Moles, A., S. Bates, S.D. Rice, and S. Korn. 1981. Reduced growth of coho salmon fry exposed to two petroleum components, toluene and naphthalene, in freshwater. *Trans. Am. Fish. Soc.* 110(3):430-436.
- Rice, S.D., S. Korn, C.C. Brodersen, S.A. Lindsay, and S.A. Andrews. 1981. Toxicity of ballast-water treatment effluent to marine organism at Port Valdez, Alaska. *In* *API, EPA, and USCG, 1981 Oil Spill Conference*, pp. 55-61. Proceedings of a symposium, March 2-5, 1981, Atlanta, Georgia. American Petroleum Institute, Washington D.C.
- Thomas, R.E., and S.D. Rice. 1981. Excretion of aromatic hydrocarbons and their metabolites by freshwater and seawater Dolly Varden char. *In* *Biological Monitoring of Marine Pollutants* (Edited by J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg), pp. 425-448. Academic Press Inc., New York.
- Karinen, J. F. 1980. Petroleum in the deep sea environment: potential for damage to biota. *Environ. Int.* 3: 135-144.
- Moles, A. 1980. Sensitivity of parasitized coho salmon fry to crude oil, toluene, and naphthalene. *Trans. Amer. Fish. Soc.* 109: 293-297.
- Korn, S., D.A. Moles, and S.D. Rice. 1979. Effects of temperature on the median tolerance limit

- of pink salmon and shrimp exposed to toluene, naphthalene, and Cook Inlet crude oil. *Bull. Environ. Contam. Toxicol.* 21(4/5):521-525.
- Moles, A., S.D. Rice, and S. Korn. 1979. Sensitivity of Alaskan freshwater and anadromous fishes to Prudhoe Bay crude oil and benzene. *Trans. Am. Fish. Soc.* 108(4):408-414.
- Rice, S.D., D.A. Moles, T.L. Taylor, and J.F. Karinen. 1979. Sensitivity of 39 Alaskan marine species to Cook Inlet crude oil and No. 2 fuel oil. In API, EPA, and USCG, 1979 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), pp. 549-554. Proceedings of a symposium. American Petroleum Institute, Washington, D.C..
- Thomas, R.E., and S.D. Rice. 1979. The effect of exposure temperature on oxygen consumption and opercular breathing rates of pink salmon fry exposed to toluene, naphthalene, and water-soluble fractions of Cook Inlet crude oil and No.2 fuel oil. In *Marine Pollution: Functional Responses* (Edited by W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F.J. Vernberg), pp. 39-52. Academic Press Inc., New York.
- Carls, M. G. 1978. Some toxic and behavioral effects of number 2 fuel oil on the eggs and larvae of *Scomber scombrus* L. and *Gadus morhua* L. M. S. Thesis, Dalhousie University, Halifax, Nova Scotia. 96 p.
- Benville, P. E., and S. Korn. 1977. The acute toxicity of six monocyclic aromatic crude oil components to striped bass (*Morone saxatilis*) and bay shrimp (*Crago franciscorum*). *Calif. Fish Game* 63(4): 204-209.
- Brodersen, C.C., S.D. Rice, J.W. Short, T.A. Mecklenburg, and J.F. Karinen. 1977. Sensitivity of larval and adult Alaska shrimp and crabs to acute exposures of the water-soluble fraction of Cook Inlet crude oil. Pp. 575-578 in API, EPA, and USCG, 1977 Oil Spill Conference (Prevention, Behavior, Control, Cleanup), Proceedings of a symposium March 8-10, 1977, New Orleans. American Petroleum Institute, Washington, D.C.
- Korn, S., N. Hirsch, and J. W. Strhsaker. 1977. The uptake, distribution, and depuration of ¹⁴C benzene and toluene in Pacific herring, *Clupea harengus pallasii*. *Fish. Bull.* 75(3): 633-636.
- Mecklenburg, T.A., S.D. Rice, and J.F. Karinen. 1977. Molting and survival of king crab *Paralithodes camtschatica* and coonstripe shrimp *Pandalus hypsinotus* larvae exposed to Cook Inlet crude oil water-soluble fraction. In *Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems* (Edited by D.A. Wolfe), pp. 221-228. Proceedings of a symposium. New York, Pergamon Press.
- Moles, D. A. 1977. Effect of parasitism by glochidia of *Anodonta oregonensis* Lea on the sensitivity of coho salmon fry *Oncorhynchus kisutch* Walbaum to the water-soluble fraction of Prudhoe Bay crude oil and the effect of crude oil on the development of the glochidium. M. S. Thesis. University of Alaska. Juneau, Alaska, 50 p.

- Myren, R. T. And J. J. Pella. 1977. Natural variability in distribution of an intertidal population of *Macoma balthica* subject of potential oil pollution at Port Valdez, Alaska. *Mar. Biol.* 41(4): 371-382.
- Rice, S.D. 1977. A review of oil toxicity studies conducted at the Auke Bay Laboratory. *In* Oil and Aquatic Ecosystems, Tanker Safety, and Oil Pollution Liability, (Edited by B. Melteff), pp. 111-113. Proceedings of a symposium. University of Alaska Fairbanks.
- Rice, S.D., J.W. Short, and J.F. Karinen. 1977. Comparative oil toxicity and comparative animal sensitivity. *In* Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems (Edited by D.A. Wolfe), pp. 78-94. Proceedings of a symposium. New York, Pergamon Press.
- Rice, S.D., R.E. Thomas, and J.W. Short. 1977. Effect of petroleum hydrocarbons on breathing and coughing rates and hydrocarbon uptake-depuration in pink salmon fry. *In* Physiological Responses of Marine Biota to Pollutants (Edited by F.J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg), pp. 259-277. Academic Press Inc., New York. 462 p.
- Taylor, T. L. and J. F. Karinen. 1977. Response of the clam, *Macoma balthica* (Linnaeus), exposed to Prudhoe Bay crude oil as unmixed oil, water-soluble fraction, and oil-contaminated sediment in the laboratory. Pp. 229-237 *In* Fate and Effects of Petroleum Hydrocarbons in Marine Organisms and Ecosystems (Edited by D.A. Wolfe), pp. 78-94. Proceedings of a symposium. New York, Pergamon Press.
- Korn, S., N. Hirsch, and J. W. Strusaker. 1976. Uptake, distribution, and depuration of ¹⁴C benzene in norther anchovy, *Engraulis mordax*, and striped bass, *Morone saxatilis*. *Fish. Bull.* 74(3): 545-551.
- Rice, S.D., J.W. Short, C.C. Brodersen, T.A. Mecklenburg, D.A. Moles, C.J. Misch, D.L. Cheatham, and J.F. Karinen. 1976. Acute toxicity and uptake-depuration studies with Cook Inlet crude oil, Prudhoe Bay crude oil, No. 2 fuel oil and several subarctic marine organisms. *Natl. Mar. Fish. Serv., Proc. Rep.*, May 1976.
- Rice, S.D., J.W. Short, and J.F. Karinen. 1976. Toxicity of Cook Inlet crude oil and No. 2 fuel oil to several Alaskan marine fishes and invertebrates. *In* ERDA, EPA, ELM, and API, Sources, Effects and Sinks of Hydrocarbons in the Aquatic Environment, Proceedings, pp. 395-406. Washington, D.C., American Institute of Biological Sciences, 578 p.
- Short, J.W., S.D. Rice, and D.L. Cheatham. 1976. Comparison of two methods for oil and grease determination. *In* Assessment of the Arctic Marine Environment: Selected topics (Edited by D.W. Hood and D. C. Burrell). Institute of Marine Science, University of Alaska, Fairbanks.
- Rice, S.D., D.A. Moles, and J.W. Short. 1975. The effect of Prudhoe Bay crude oil on survival

and growth of eggs, alevins, and fry of pink salmon *Oncorhynchus gorbuscha*. In Proceedings of the 1975 Conference on Prevention and Control of Oil Pollution, pp. 503-507. American Petroleum Institute, Environmental Protection Agency, and U.S. Coast Guard, San Francisco.

Thomas, R.E., and S.D. Rice. 1975. Increased opercular rates of pink salmon *Oncorhynchus gorbuscha* fry after exposure to the water-soluble fraction of Prudhoe Bay crude oil. Fish. Res. Board Can. 32(11):2221-2224.

Evans, D.R., and S.D. Rice. 1974. Effects of oil on marine ecosystems: a review for administrators and policy makers. Fish. Bull., U.S. 72(3):625-638.

Karinen, J.F., and S.D. Rice. 1974. Effects of Prudhoe Bay crude oil on molting tanner crabs *Chionoecetes bairdi*. U.S. Natl. Mar. Fish. Serv., Mar. Fish. Rev. 36(7):31-37.

Rice, S.D. 1973. Toxicity and avoidance tests with Prudhoe Bay oil and pink salmon fry. In Proceedings of the Joint Conference on Prevention and Control of Oil Spills, pp. 667-670. American Petroleum Institute, Environmental Protection Agency, and U.S. Coast Guard, Washington, D.C.